

PROFESSIONAL

jura®



Professional range
August 2018



SWISS MADE

- 4.3" touchscreen colour display
- 2 precision ceramic disc grinders with Automatic Grinder Adjustment (A.G.A.®)
- Speed function thanks to addition of hot water bypass
- 2 thermoblocks and 2 pumps

SWISS MADE

- Large bean container with aroma preservation cover
- Electronically adjustable ceramic disc grinder
- Customisable start screen
- 34 different specialities and another 12 programmable barista recipes

Specific advantages

Pulse Extraction Process (P.E.P.®)		
Intelligent water system (I.W.S.®)	-/▪	
Speed function	▪	
Customisable product names	▪	
Compatible with JURA Connect App		
Compatible with JURA Coffee App Professional		
Latte macchiato at the touch of a button	2	2
Caffè latte at the touch of a button	2	2
Flat white at the touch of a button	2	2
Cappuccino at the touch of a button	2	2
Espresso doppio at the touch of a button	2	
Pot of espresso-quality coffee	▪	▪
No. of individually programmable specialities	32	34
Barista recipes		▪
Professional barista steam lance		
Grinder	Electrically adjustable ceramic disc grinder	Electrically adjustable ceramic disc grinder
Power hot water system (3 temperature levels)	0.5l / Min.	0.5l / Min.
JURA standards		
Variable brewing chamber, from 5g to 16g	▪	▪
Thermoblock heating system	2	2
Milk system	HP3	HP2
Integrated rinsing, cleaning and descaling programme	▪	▪
JURA hygiene: TÜV-certified	▪	▪
Settings and programming options		
Programmable and individually adjustable amount of water	▪	▪
Programmable and individually adjustable coffee strength	10 levels	5 levels
Programmable brewing temperature	3 levels	3 levels
Resettable day counter	▪	▪
Design and materials		
Display	Touchscreen colour display	TFT colour display
Powder chute for second, ground coffee	▪	▪
In figures		
Height- and width-adjustable dual spout	70 – 159 mm / –	70 – 159 mm / 20 – 50 mm
Height-adjustable coffee spout		
Height-adjustable cappuccino spout		
Height-adjustable hot water spout	69 – 165 mm	69 – 165 mm
Water tank capacity	-/5l	-/5l
Coffee grounds container (servings)	max. 40	max. 40
Bean container with aroma preservation cover	2 × 650 g	1 kg
Bean container can be optionally extended to		
Voltage/Power	220 – 240 V~ / 2700 W	220 – 240 V~ / 2300 W
Stand-by power	< 0.5 W	< 0.5 W
Weight	19 kg	18.2 kg
Dimensions (W × H × D)	32 / 37 × 56.5 × 49.7 cm	32 / 37 × 56.5 × 49.7 cm
Dimensions (W × H × D) with bean container extension		
Article number / Colour	GIGA X8c, 15227 Aluminium Chrome GIGA X8c, 15249 Aluminium Black GIGA X8, 15226 Aluminium Chrome GIGA X8, 15248 Aluminium Black	GIGA X3c, 15003 Aluminium GIGA X3, 15002 Aluminium
Price	£ 5839.00 (15227) £ 5410.00 (15249) £ 5586.00 (15226) £ 5159.00 (15248)	£ 4131.00 (15003) £ 4021.00 (15002)

All prices are plus VAT 20 %.

*These models are available in two versions: a flexible mobile version and one with a permanent water connection. The 'c' in the model name indicates a permanent water connection. Find out which solution is best for your needs.



SWISS MADE

- 21 programmable specialties
- Bean container and water tank can be locked
- Disable function for products and programming
- 6 large front-mounted direct selector buttons and 2 navigation buttons

Specific advantages

Pulse Extraction Process (P.E.P.®)	▪
Intelligent water system (I.W.S.®)	▪
Speed function	
Customisable product names	
Compatible with JURA Connect App	▪
Compatible with JURA Coffee App Professional	▪
Latte macchiato at the touch of a button	2
Caffè latte at the touch of a button	2
Flat white at the touch of a button	2
Cappuccino at the touch of a button	2
Espresso doppio at the touch of a button	
Pot of espresso-quality coffee	▪
No. of individually programmable specialties	21
Barista recipes	
Professional barista steam lance	
Grinder	Multi-level Aroma G3 grinder
Power hot water system (3 temperature levels)	0.24l / Min.

JURA standards

Variable brewing chamber, from 5g to 16g	▪
Thermoblock heating system	2
Milk system	HP3
Integrated rinsing, cleaning and descaling programme	▪
JURA hygiene: TÜV-certified	▪

Settings and programming options

Programmable and individually adjustable amount of water	▪
Programmable and individually adjustable coffee strength	10 levels
Programmable brewing temperature	2 levels
Resettable day counter	▪

Design and materials

Display	TFT colour display
Powder chute for second, ground coffee	

In figures

Height- and width-adjustable dual spout	65 – 153 mm / –
Height-adjustable coffee spout	
Height-adjustable cappuccino spout	
Height-adjustable hot water spout	
Water tank capacity	5l
Coffee grounds container (servings)	max. 40
Bean container with aroma preservation cover	500g
Bean container can be optionally extended to	1kg
Voltage/Power	220 – 240V~ / 1450W
Stand-by power	< 0.5W
Weight	14kg
Dimensions (W×H×D)	37.3×47×46.1cm
Dimensions (W×H×D) with bean container extension	37.3×52.4×46.1cm
Article number/ Colour	15100 Platinum

Price

£ 2595.00



SWISS MADE

- 10 programmable black coffee specialties
- Bean container and water tank can be locked
- Disable function for products and programming
- 6 large front-mounted direct selector buttons and 2 navigation buttons

	▪
	▪
	▪
	▪
	1
	▪
	12
	Multi-level Aroma G3 grinder
	0.24l / Min.

	▪
	1
	▪
	▪

	▪
	10 levels
	2 levels
	▪

	TFT colour display
--	--------------------

	65 – 153 mm
	5l
	max. 40
	500g
	1kg
	220 – 240V~ / 1450W
	< 0.5W
	12.9kg
	37.3×47×46.1cm
	37.3×52.4×46.1cm
	15154 Dark Inox

£ 1760.00



- Pulse Extraction Process (P.E.P.®)
- The Intelligent Water System (I.W.S.®)
- Buttons on the front of the machine and a modern TFT display
- Cappuccino spout, height-adjustable on a continuous scale

- Pulse Extraction Process (P.E.P.®)
- The Intelligent Water System (I.W.S.®)
- Buttons on the front of the machine and a modern TFT display
- Eight classic specialities

Specific advantages

Pulse Extraction Process (P.E.P.®)	▪
Intelligent water system (I.W.S.®)	▪
Speed function	
Customisable product names	
Compatible with JURA Connect App	▪
Compatible with JURA Coffee App Professional	▪
Latte macchiato at the touch of a button	1
Caffè latte at the touch of a button	
Flat white at the touch of a button	1
Cappuccino at the touch of a button	1
Espresso doppio at the touch of a button	
Pot of espresso-quality coffee	
No. of individually programmable specialities	12
Barista recipes	
Professional barista steam lance	
Grinder	Multi-level Aroma G3 grinder
Power hot water system (3 temperature levels)	0.24l / Min.

JURA standards

Variable brewing chamber, from 5g to 16g	▪
Thermoblock heating system	1
Milk system	HP1
Integrated rinsing, cleaning and descaling programme	▪
JURA hygiene: TÜV-certified	▪

	▪
	1
	HP1
	▪
	▪

	▪
	1
	HP1
	▪
	▪

Settings and programming options

Programmable and individually adjustable amount of water	▪
Programmable and individually adjustable coffee strength	8 levels
Programmable brewing temperature	2 levels
Resettable day counter	▪

	▪
	8 levels
	2 levels
	▪

	▪
	8 levels
	2 levels
	▪

Design and materials

Display	TFT colour display
Powder chute for second, ground coffee	▪

	TFT colour display
	▪

	TFT colour display
	▪

In figures

Height- and width-adjustable dual spout	
Height-adjustable coffee spout	65 – 111 mm
Height-adjustable cappuccino spout	107 – 153 mm
Height-adjustable hot water spout	107 – 153 mm
Water tank capacity	3l
Coffee grounds container (servings)	max. 25
Bean container with aroma preservation cover	500 g
Bean container can be optionally extended to	
Voltage/Power	230 V~ / 1450 W
Stand-by power	0 W
Weight	10 kg
Dimensions (W × H × D)	29.5 × 41.9 × 44.4 cm
Dimensions (W × H × D) with bean container extension	
Article number / Colour	15144 Chrome

	65 – 111 mm
	107 – 153 mm
	107 – 153 mm
	3l
	max. 25
	500 g
	230 V~ / 1450 W
	0 W
	10 kg
	29.5 × 41.9 × 44.4 cm
	15144 Chrome

	65 – 111 mm
	107 – 153 mm
	107 – 153 mm
	3l
	max. 25
	500 g
	230 V~ / 1450 W
	0 W
	10 kg
	29.5 × 41.9 × 44.4 cm
	15114 Piano Black

Price

£ 1760.00

£ 1350.00

Accessories

Glass Cup Warmer



Art. 70086, £ 978.00

Cup warmer and Professional accessory drawer



Art. 72229, £ 169.00

Cool Control



Cool Control Basic, 1,0 litre, black
Art. 72078, £ 160.00
Cool Control Wireless, 1,0 litre, black
Art. 71976, £ 275.00

Smart Compact Payment Box



Complete payment system consisting of: Smart Compact Payment Box, Smart Connect, coin checker
Art. 72608, £ 806.25
Payment Tokens, £ 43.50

Cashless Payment Box



Art. 72608, £ 849.00

Coffee grounds disposal/drip drain set



Coffee grounds disposal/drip drain set for GIGA X8c-G2/X8-G2
Art. 24109, £ 104.33
Coffee grounds disposal/drip drain set for X8, X6
Art. 24047, £ 104.33

Milk pipe with stainless steel casing



HP1, £ 17.46
HP2, £ 17.46
HP3, £ 17.46

Bean container extension for X8 and X6



Art. 24045, £ 49.00

Smart Connect



Art. 72167, £ 37.50

Original maintenance products

CLARIS Pro Smart



for GIGA X8-G2, X8, X6, WE8, WE6
Art. 72819, 1 pce, £ 22.00

CLARIS Pro Blue



for GIGA X/XJ machines
Art. 71702, 1 pce, £ 35.09

JURA water-filtering system



F2300, Art. 24099, £ 129.00
F3300, Art. 24100, £ 150.50
F5300, Art. 24101, £ 175.00

Filter head



Size: 3/8"
Art. 24098, £ 49.00

2-phase cleaning tablets



Art. 62535, Tub of 25, £ 29.50
Art. 62715, Pack of 6, £ 8.82
Phosphate free

2-phase descaling tablets



Art. 70751, Tub of 36, £ 35.88
Art. 61848, Pack of 3×3, £ 11.77
Phosphate free

Milk system cleaner



Art. 62536, 1000 ml, £ 14.82
Phosphate free

All prices are plus VAT 20 %.

We constantly adapt our range of products in line with the state of the art. The configuration and equipment of the illustrated machines are therefore subject to change. We accept no liability for misprints and other errors. There may be colour deviations due to the printing process. The illustrated cups and glasses are not supplied as standard with the machines.
© 2018 by JURA Elektroapparate AG. All rights reserved. Reprinting (in whole or in part) is only permitted with the written approval of JURA.



Hygiene standards



www.tuv.com
ID 000027526

JURA hygiene certified by TÜV Rheinland

The Swiss coffee specialist was awarded the certificate for high hygiene standards in an independent test by TÜV Rheinland. As part of an independent microbiological test, JURA coffee machines were subjected to daily use for a period of several months while scientists performed analyses on hygiene-relevant components. The results revealed that JURA coffee machines are extremely hygienic. The tests included all coffee-carrying components such as the brewing group and coffee spout as well as the water tank, bean container, grinder, powder chute, coffee grounds container and drip tray, cappuccino frother, cappuccino pipes and milk container.

JURA Products Ltd.
Vivary Mill
Vivary Way
Colne, Lancashire, BB8 9NW

Tel: 01282 868266
Fax: 01282 863411
uk.jura.com

JURA – If you love coffee

Commercial range - Additions

January 2018

CombiCool with cup warmer
£1,025.86



The Combi Cool is designed to complement the GIGA X3 and the rest of the JURA Professional line of coffee machines. The generously sized milk container can be filled with up to four litres of milk.

A powerful compressor unit ensures the milk is kept cool to the optimum temperature of 4°C.

Additionally the fridge has a cup warmer section on the top of the machine, a drawer at the base for condiments and stirrers and options of left/right entry for the milk pipe.

Dimensions:

443.5mm high, 462mm deep,
225mm wide

Universal fridge
£806.25



The Universal Fridge is designed to visually complement coffee machines within the JURA Professional line.

The generously sized milk container can be filled with up to four litres of milk. A powerful compressor unit ensures the milk is kept cool to the optimum temperature of 4°C.

Dimensions:

485mm high, 483mm deep,
228mm wide

Chill Milk Box
£150.00



The Chill Milk Box is designed to complement the JURA WE8 Professional coffee machine.

The Chill Milk Box comes with two blue 'freezer' blocks which should be left in a normal freezer compartment overnight. These will then be ready to transfer to the Chill Milk Box together with two one litre milk cartons, one of which connects to the coffee machines plastic pipe. This then utilises the milk through the normal workings of the automatic coffee machine.

Your second milk carton is in the box, nice and cool for use when required.

The Chill Milk Box is ideally suited to office coffee usage.

Dimensions:

External 354mm high, 357mm deep,
157mm wide

Internal 274mm high, 252mm deep,
100mm wide